

• • , • • ,  
• • ,  
• • ,  
• •

•  
•

•

*In modern mobile machines all greater distribution obtain sensible to loading hydraulic systems. Proportional valve is one of basic elements of these systems. The structural features of this aggregate depend on the requirements which are put to hydraulic systems. Perfection of charts and constructions of distributors is directed on expansion of functional possibilities of aggregates and system on the whole.*

-


[1,2].

•  
• , • ,  
• , • ,  
• ,

• LS- LS [3].  
• : • , LS


- ;  
- ;  
- ;  
• ,  
• ;  
• ,





→ 5 7 →  
6 8.

„HYDRAUTO“,  
" („Valve Transistor" -  
).



4, 5. 8

2. . . , . . . ,

//

: . . . - . :  
, 1989. .54-60

3. . . , . . .

: . . . 1.

« . . . ».- 3.- . :  
, 1988.-56 .

4. . RE38.355 E , F16D 31/02.  
Electrohydraulic control device for double-acting  
consumer / Hartmut Sandau ( . . . ); Robert  
Bosch GmbH ( . . . ). - . 12.23.2003, -  
17 ., 10 .

5. . . . .

//

. - 1996. - 0. - .26-28.

[5].

LS

LS

C

1. Andersson B. Entwicklung eines  
lastdruckkompensierten Load-Sensing Wegeventils  
mit stetig wirkenden 2-Wege-Einbauventilen //  
Aachener Fluidtechnisches Kollokvium. - 1984. -  
S.225-280