

ADVANCEMENTS IN WIND ENERGY TECHNOLOGIES: FROM ONSHORE TURBINES TO FLOATING OFFSHORE SYSTEMS AND GRID STABILITY

Vinnytsia National Technical University

Анотація

У статті представлено комплексний аналіз еволюції технологій вітроенергетики з акцентом на переході від традиційних наземних вітрогенераторів із горизонтальною віссю (ВЕУ ГВ) до інноваційних плавучих офшорних платформ.

Ключові слова: вітроенергетика, ВЕУ ГВ (горизонтально-осьові), ВЕУ ВВ (вертикально-осьові), офшорні платформи, аеродинамічна ефективність, інтеграція відновлювальних джерел енергії, стабільність енергосистеми.

Abstract

The article provides a comprehensive analysis of the evolution of wind power technologies, focusing on the transition from traditional onshore Horizontal Axis Wind Turbines (HAWT) to innovative floating offshore platforms.

Keywords: Wind power, HAWT, VAWT, offshore platforms, aerodynamic efficiency, renewable energy integration, grid stability.

Introduction

Wind power is a mature yet rapidly evolving technology that converts the kinetic energy of air masses into electrical energy. While the first electricity-generating wind turbines appeared in the late 19th century, their role in the global energy mix has become a cornerstone of the "Green Transition" only in the last two decades. Modern turbines are sophisticated aerodynamic machines that operate on principles similar to aerospace engineering.

The prototype of a modern wind turbine consists of a three-part structure often referred to as the rotor, the nacelle, and the tower. The rotor usually consists of three blades made of glass-fiber reinforced polymer (GFRP), designed with an airfoil profile to create lift. The nacelle houses the main gearbox, the generator, and the electronic control systems, while the tower, typically made of tubular steel, must withstand extreme mechanical loads. The efficiency of a wind turbine is theoretically limited by the Betz Limit, which states that no turbine can capture more than 59.3% of the kinetic energy in wind. Modern high-end turbines currently reach efficiencies of 45% to 50%.


The advantages of modern wind power include a high energy payback ratio and low operational costs. A wind turbine typically produces the energy used to manufacture it within 6-8 months of operation. Once installed, the "fuel" is free, leading to stable long-term energy prices. Furthermore, the technology offers immense scalability, ranging from micro-turbines (1-10 kW) for remote telecommunication towers to massive offshore units (15-20 MW) capable of powering entire communities.

Following the industrial trend of enhancing material longevity, wind energy leaders have developed "Circular Resin" technology. Previously, turbine blades were difficult to recycle and often ended up in landfills. New chemical epoxy technology now allows blades to be decommissioned and broken down into their original raw materials. This breakthrough solves the "end-of-life" environmental problem that has hindered the industry for years, ensuring a more sustainable lifecycle for wind farm components.

A significant strategic shift is currently occurring towards offshore and floating foundations. While traditional "fixed-bottom" turbines are limited to shallow waters, new floating offshore platforms (using semi-submersible or SPAR buoy designs) allow turbines to be placed in the open ocean. In these locations, winds are significantly stronger and more consistent. This technological leap could potentially triple the global wind energy capacity by 2040, providing a solution for countries with limited land availability.

The economic prospects of wind energy are bolstered by advanced control systems and massive cost reductions. The integration of Active Pitch Control allows turbines to adjust blade angles in real-time, maximizing output while preventing structural damage during extreme weather. Consequently, the Levelized Cost of Energy (LCOE) for wind has dropped by approximately 70% over the last decade. With global capacity projected to exceed 2,000 GW by 2030, wind power is becoming cheaper than fossil fuels in most regions.

TYPES OF OFFSHORE WIND TURBINES



In conclusion, wind power plants represent a revolutionary force in the transition to a carbon-neutral energy sector. They combine high energy density with mechanical reliability and increasing sustainability through innovative recycling methods. Developments in floating platforms and AI-driven grid integration are significantly extending the operational range of these systems, paving the way for a decentralized and stable global energy future.

Conclusion

To summarize, wind power plants are a revolutionary force in the global energy sector. They combine high energy density with mechanical reliability and increasing environmental sustainability through blade recycling. Innovative developments, such as floating platforms and AI-driven grid integration, significantly extend the operational range of these systems. It is expected that the global share of wind energy will increase significantly, leading to a decentralized and carbon-neutral energy future.

REFERENCES

1. Electricity Mid-Year Update 2025: report / International Energy Agency. IEA, 2025. URL: <https://www.iea.org/reports/electricity-mid-year-update-2025>. (дата звернення: 05.03.2026).
2. Global Wind Report 2025: report / Global Wind Energy Council. GWEC, 2025. URL: <https://www.gwec.net/reports/global-wind-report-2025>. (дата звернення: 05.03.2026).
3. Blade circularity: [corporate website] / Vestas. 2026. URL: <https://www.vestas.com/en/sustainability/blade-circularity>. (дата звернення: 05.03.2026).
4. RecyclableBlade: The world's first recyclable wind turbine blade: [journal article] / Siemens Gamesa Renewable Energy. 2026. URL: <https://www.siemensgamesa.com/global/en/home/explore/journal/recyclable-blade.html>. (дата звернення: 05.03.2026).
5. Renewable Power Generation Costs in 2024: publication / International Renewable Energy Agency. IRENA, 2025. URL: <https://www.irena.org/publications/2025/Jul/Renewable-Power-Generation-Costs-in-2024>. (дата звернення: 05.03.2026).
6. Ravkov M. Nykyporets S. Gotland High Voltage Direct Current Link. *Матеріали ЛІІ науково-технічної конференції підрозділів ВНТУ*, Вінниця, 21-23 червня 2023 р. URL: <https://conferences.vntu.edu.ua/index.php/all-fbtegp/all-fbtegp-2023/paper/view/17772>.
7. Bogatskyi D. R. Nykyporets S. S. Reduction of voltage fluctuations in the network. *Матеріали ЛІІ науково-технічної конференції підрозділів ВНТУ*, Вінниця, 21-23 червня 2023 р. URL: <https://conferences.vntu.edu.ua/index.php/all-fbtegp/all-fbtegp-2023/paper/view/17851>.

Радченко Ярослав Володимирович – студент групи 2ЕС-226, Факультет електроенергетики та електромеханіки, Вінницький національний технічний університет, м. Вінниця, email: referens1234321@gmail.com.

Науковий керівник **Никипорець Світлана Степанівна** – викладач кафедри іноземних мов, Вінницький національний технічний університет, м. Вінниця. Email: fotinia606@gmail.com.

Radchenko Yaroslav Volodymyrovich – student of group 2ES-22B, Faculty of Power Engineering and Electromechanics, Vinnytsia National Technical University, Vinnytsia, email: referens1234321@gmail.com.

Scientific supervisor **Nykyporets Svitlana Stepanivna** – a senior lecturer at the Department of Foreign Languages, Vinnytsia National Technical University, Vinnytsia. Email: fotinia606@gmail.com.